



PRODUCT DATA SHEET



DJI M600 Pro
with
Nano-Hyperspec[®]

Integrated & Flight-Ready!

- Professional airborne performance
- Research-grade hyperspectral data
- High payload capacity; long-duration flight times
- Gimbal-stabilized sensor
- Multiple flight-control redundancies
- 270 Spectral bands (VNIR 400-1000nm)
- Aberration-corrected imaging, wide FOV
- Airborne hyperspectral software
- Internal SSD data storage
- High spectral & spatial resolution

PRODUCT DATA SHEET

DJI Matrice M600 Pro*	
Diagonal wheelbase	1133mm
Dimensions	1668 mm × 1518 mm × 727 mm with propellers, frame arms and GPS mount unfolded (including landing gear). 437 mm × 402 mm × 553 mm with propellers, frame arms and GPS mount folded (excluding landing gear)
Weight (with six TB47S batteries)	9.5 kg
Max Takeoff Weight Recommended	15.5 kg
Hovering Accuracy (P-GPS)	Vertical: ±0.5 m, Horizontal: ±1.5 m
Max Angular Velocity	Pitch: 300°/s, Yaw: 150°/s
Max Pitch Angle	25 degrees
Max wind resistance	8 m/s
Max ascent speed	5 m/s
Max descent speed	3 m/s
Max service ceiling above sea level	2170R propellers: 2500 m 2195 propellers: 4500 m
Max speed	40 mph / 65 kph (no wind)
Flight time	Depends on payload and flying conditions
Retractable landing gear	Standard
Standard battery	4500mAh

* Information above based on DJI-published specifications extracted from <http://www.dji.com/matrice600-pro/info#specs> on 13-March 2017.

Nano-Hyperspec®	
Wavelength range	400-1000 nm
Spatial bands	640
Spectral bands	270
Dispersion/Pixel (nm/pixel)	2.2
FWHM Slit Image	6 nm
Integrated 2 nd order filter	Yes
f/#	2.5
Layout	Aberration-corrected concentric
Entrance Slit width	20 µm
Camera technology	CMOS
Bit depth	12-bit
Max Frame Rate (Hz)	300
Detector pixel pitch	7.4 µm
Max Power (W)	13
Storage capacity	480GB (~130 minutes at 100 fps)
Weight without lens, GPS (lb / kg)	1.2 / 0.5
Operating Temperature	0 °C to 50 °C

Headwall's Nano-Hyperspec is a small, light, and rugged hyperspectral imaging sensor that provides a full spectrum of image data for every pixel within the scene!



March 2017

contact information